

Material: **Ceramic and glazed porcelain** | Appearance: **Marble** | Application: **Walls**

18  
Colours

1  
Finish

5  
Tile sizes

# Cavendish

Crafted in refined 50×400, 115×231, and 400×1200mm formats, the Cavendish collection redefines wall coverings with elegant, three-dimensional drapes. Its sculptural surface creates a timeless interplay of light and shadow, enveloping spaces in pure sophistication.



Shade variation: V1-V3



## Ceramic 50x400mm

TSDA54700T1 LRV: 67	TSDA54700T2 LRV: 67	TSDA54700T3 LRV: 67	TSDA54701T1 LRV: 38	TSDA54701T2 LRV: 38	TSDA54701T3 LRV: 38
TSDA54702T1 LRV: 18	TSDA54702T2 LRV: 18	TSDA54702T3 LRV: 18	TSDA54703T1 LRV: 18	TSDA54703T2 LRV: 18	TSDA54703T3 LRV: 18
TSDA54704T1 LRV: 48	TSDA54704T2 LRV: 48	TSDA54704T3 LRV: 48	TSDA54705T1 LRV: 50	TSDA54705T2 LRV: 50	TSDA54705T3 LRV: 50

## Glazed porcelain 115x231mm

WBDC55518 LRV: 56	WBDC55519 LRV: 57	WBDC55520 LRV: 58	WBDC55521 LRV: 10	WBDC55522 LRV: 29	WBDC55523 LRV: 10	WBDC55524 LRV: 52

## Glazed porcelain 400x1200mm

RDDB51719 LRV: 62	RDDB51720 LRV: 52	RDDB51721 LRV: 36	RDDB51722 LRV: 54	RDDB51723 LRV: 51



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.



Cavendish TSDA54700T3

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:




# Cavendish



Cavendish TSDA54702T1 TSDA54702T2 TSDA54702T3

## Formats

	Sizes (mm)	>  <	Finishes
1	400x1200	12mm	Matt
2	115x231	8.5mm	Matt
3	50x400 T1	8.5-11mm	Matt
4	50x400 T2	8.5-13mm	Matt
5	50x400 T3	8.5-14mm	Matt





Material: **Ceramic and glazed porcelain** | Appearance: **Marble** | Application: **Walls**



# Cavendish



Above  
Cavendish TSDA54701T1 TSDA54701T2  
TSDA54701T3

Right  
Cavendish TSDA54704T2



Above  
Cavendish TSDA54703T1 TSDA54703T2 TSDA54703T3

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod – Wet (unless stated). Swatch colours may vary, samples should be requested.

[www.grestec.co.uk](http://www.grestec.co.uk) | T: 0345 130 2241 | E: [sales@grestec.co.uk](mailto:sales@grestec.co.uk)

Find us on:    



# Cavendish

## Technical data sheet - ISO 10545 average values

		WBDC	TSDA	RDDB
2	Dimensions Surface flatness	Sizes $\pm 0.5\text{mm}$ Curvature $\pm 0.5\%$	-	Conforms
3	Water absorption	0,5% $<E \leq 3\%$ (B1b)	AA>10% group BIII	E<0.5%
4	Modulus of rupture	> 30 N/mm <sup>2</sup>	RM> 150kg/cm <sup>2</sup>	-
4	Breaking strength	-	-	>1300
4	Bending strength	-	-	>35
9	Resistance to thermal shock	Resistant	-	Resistant
11	Crazing resistance	Resistant	Resistant	Resistant
12	Frost proof	Resistant	-	Resistant
13	Chemical resistance Household chemicals Acids (Low concentration)	GA GLA	Resistant	GA GA
14	Stain resistance	Class 5	Resistant	Class 5
	Shade variation	V1	V3	V2

## Sustainability information



## Cleaning and maintenance advice

### Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

### Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see [www.filasolutions.com](http://www.filasolutions.com) for methods of use, dilution and coverage.