

Material: **Glazed porcelain** | Appearance: **Kit-kat style** | Application: **Walls**

6
Colours

1
Finish

1
Tile size

Brio


Brio draws inspiration from elongated kit-kat tiles, elevating commercial spaces into captivating works of art. With its distinctive elegance, Brio reimagines innovation and beauty, showcasing six luxurious, nature-inspired colours.




Shade variation: V3 high




WBDD55525



WBDD55526




WBDD55527



WBDD55528



WBDD55529



WBDD55530



| | Sizes (mm) | > < | Finishes |
|---|------------|-------|----------|
| 1 | 115x231 | 8.5mm | Gloss |



LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod - Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:

Material: **Glazed porcelain** | Appearance: **Kit-kat style** | Application: **Walls**



Brio



Above
Brio WBDD55530

Right
Brio WBDD55528



Above
Brio WBDD55529

LRV and PTV values can vary batch to batch, please contact for advice. PTV values refer to Slider 96 Shod – Wet (unless stated). Swatch colours may vary, samples should be requested.

www.grestec.co.uk | T: 0345 130 2241 | E: sales@grestec.co.uk

Find us on:    



Brio

Technical data sheet - ISO 10545 average values

| | | |
|----|---|---|
| 2 | Dimensions Surface flatness | Sizes $\pm 0.5\text{mm}$ Curvature $\pm 0.5\%$ |
| 3 | Water absorption | $0,5\% < E \leq 3\%$ (B1b) |
| 4 | Modulus of rupture | $> 30 \text{ N/mm}^2$ |
| 9 | Resistance to thermal shock | Conforms |
| 11 | Crazing resistance | Conforms |
| 12 | Frost proof | Conforms |
| 13 | Chemical resistance Household chemicals Acids (Low concentration) | GA GLA |
| 14 | Stain resistance | Class 5 |

Sustainability information



Cleaning and maintenance advice

Initial washing

The initial washing is fundamental for good treatment results. The initial washing is aimed at removing any laying residues and building grime.

Product: Cloth

Routine maintenance

The aim of the routine maintenance is to remove dirt and scuff marks. Must be carried out regularly.

Product: Cleaner Pro

Please see www.filasolutions.com for methods of use, dilution and coverage.